

International Journal of Research in Indian Medicine

THE CONCEPTUAL STUDY OF CONTRACEPTIVE METHODS ACCORDING TO AYURVEDA

Divya Pawar*¹, Sameer Gholap²

- 1. Post Graduate Scholar,
- 2. Associate Professor and Guide,

Department of Prasuti Tantra Avum Striroga, S. M. B. T. College and Hospital,

Nandi Hills, Dhamangaon, Igatpuri, Nashik, Maharashtra.

*Corresponding author: **Email** – <u>divi.pawar94@gmail.com</u>

ABSTRACT -

The world population is increasing much faster. Many socioeconomic condition of people have also been adversely affected. Various side effects have been observed with modern contraceptive methods. In Ayurveda many contraceptives are mentioned as per Yogaratnakara, Bhavaprakasha and Bhaishajyaratnakara. There are Single as well as Combination drugs mentioned in Ayurveda. Many Ayurvedic researches Garbhanirodhaka dravyas (Contraceptive drugs) in Ayurveda and they are safe and has better results.

KEYWORDS -

Garbhanirodhaka dravya, Ayurveda, Pharmacological action

INTRODUCTION -

India stands for second most populous country in the world with 1.33 billion population [1]. Human population is a serious problem loom ahead unless the number of our progeny is controlled [2]. Human fertility control is a one of the major deviation which seem effective in controlling population. Many potential methods have been adopted to induce infertility including hormonal and

chemical methods. Traditional use of medicinal plants and their extracts have become widely known among society for various diseases including fertility related problems. By counting women healthcare it has become important to use herbal antifertility agents which can interfere with the natural procedure of reduction in women.

In Atharvaveda Brihadaranyakopanishata and Kaushikasutra they have given prayers and medicaments to produce sterility and infertility in both male and female. In Ayurvedic classics, Acharya Sushruta has stated 4 essential factors Rutu (Fertile Period), Kshetra (Healthy Reproductive Organs), Ambu (Proper Nutrient Fluid), Beeja (Ovum/Sperm), the union of one or two factors is necessary for fertility and if it is restricted the union of one or two factors then conception is prevented . Matras are also used as contraceptive method in Ayurveda. There are Single as well as Combination drugs mentioned in Ayurveda. Many Ayurvedic researches done on Garbhanirodhaka (Contraceptive dravyas drugs)

Ayurveda and they are safe and has better results.

AIM AND ONJECTIVE -

• To understand *Garbhanirodhaka* (contraception) in *Ayurvedic* perspectives.

METHOD AND MATERIAL -

Reviewing the *Garbhanirodhaka* (contraception) through *Ayurvedic* classics, commentaries also recently published books and Research journals and modern science literature, the collection done and attempt to get corelation between *Ayurveda* literatures.

CONTRACEPTION AND METHOD -

A method or a system which allows intercourse and yet prevents conception is called a Contraceptive method. Contraceptive measures are used to avoid pregnancy entirely to space pregnancies or to temporarily postpone pregnancy [4] . Ayurveda classics like Bhavaprakasha, Yogratnakara [5] and Bhaishajya Ratnavali etc. have mentioned about different combinations of herbal mineral contraceptive preparations for local well as oral use by men and women.

Tailavilam Saindhavakhandamadau Nidhayerandabeejayonimadhye |

Naren Sardham Ratimatanoti Ya Na Sa Hi Garbham Labhate Kadachita /

Dhupite Yonirandhre Tu Nimbakashthaischa Yuktitaha // Ritvante Ramante Ya Stri Na Sa Garbhavapnuyat /

Grahyam Krishnachaturdashyam Dhatturasya Cha Mulakam /

Katau Badhva Ramekantam Na Garbha Sambhavektvachita ||

Mukte Na Labhate Garbham Pura Nagarjunoditam /

Nanmulachurnam Yonistham Na Garbham Sabhavektvachit //

(Y.R. Yonivyapad Chikitsa)

A) Local Contraceptives -

- Moistened Saindhava (Rock salt)
 + Tila Taila (Sesame oil) should
 be applied in vaginal canal before coitus.
- 2) *Nimba* wood (Azadirecta indica) fumigation in vaginal canal after *Ritikala* (Menstrual period).
- 3) *Yonipurana* (Vaginal filling) + *Dhatturamula churna* (Daturametal root).
- 4) *Dhatturamula* (Daturametal root) tied over waste of woman on 14th day of 1st fort night of Lunar Month.
- 5) *Yonipurana* (Vaginal filling) with *Dhatturamula* (Daturametal root) before coitus.

B) Oral Contraceptives –

- 1. Application of *Palashabeeja churna* (Butea monosperma) + Ghee during *Ritikala* (Menstrual period).
- 2. Use of *tanduliyakamula* (Amaranthus aspera) paste + washed rice water for 3 consecutive days after menstruation makes women infertile.
- 3. *Haridra Churna* (Curcuma longa) + *Sheeta Jala* (Cold water) for 3 days during the *Ritikala* (Menstrual period).
- 4. Vidanga Churna (Embelia ribes) + Sheeta Jala (Cold water) for 5 to 15 days during the Ritikala (Menstrual period).
- 5. Krishnajeeraka Churna (Carum carvi) + Kachooram (Hedychium spicatum) + Nagakeshara (Mesua ferrea) + Kayaphala (Myrica nagi) are mixed and used as Gootika (Pills)

- for 7 days.
- 6. Sarshapa (Brassica campestris) +
 Tanduliyakamula (Amaranthus
 aspera) + Sharkara (Sugar candy) +
 Tandulodaka (Rice water) + Milk.

ACCORDING TO BHAVAPRAKASHA [6] –

- Pippali (Piper longum) + Vidanga (Embelia ribes) + Tankana (Borax) + Milk should be consumed at the time of conception.
- 2) Japapushpa (Flower of Hibiscus rosa sinesis) macerated with one Musti (40gm) of old Guda (Jaggery) consumed during

- Ritikala (Menstrual period).
- 3) Talisa (Abies webbiana) +
 Gairika Churna (Red chalk
 powder) + Sheeta Jala (Cold
 water) on 4th day of Ritikala
 (Menstrual period).

ACCORDING TO BHAISAJYA RATNAVALI [7] –

- 1) *Dhatri* (Embilica officinalis) + *Arjuna* (Terminalia arjuna) + *Abhaya* (Terminalia chebula) + Water orally.
- 2) *Patha* paste (Cissampelos pareira) orally on the day of bath after *Ritikala* (Menstrual period).

ACTION OF THESE DRUGS –

Drug	Action
Vidanga	It has 83% Antifertility activity [8].
(Embelia ribes)	• Its Root powder 100mg/Kg PO given 100% inhibition of
	pregnancy in female albino rats ^[9] .
	• It has 85.71% Anti-implantation activity thus has Anti-
	oestrogenic and Progestational property [10].
Japa (Hibiscus	• Its chemical constituent Benzene extract produces 100%
rosa-sinensis)	Antifertility activity [11].
Neema	Sperm motility and sperm density are declined on its use and
(Azadirecta	fructose concentration of seminal vesicles is reduced [12].
indica)	
Arjuna	• It has showed Anti-implantation and foetus absorption
(Terminalia	activity. It is found to be Anti-zygotic, Abortifacient activity
arjuna)	[13]
Tulasi (Ocimum	• It has Anti-implantation, Anti-ovulatory, Anti-spermatogenic,
sanctum)	Anti-oestrogenic and Abortifacient activity [14].
Haridra	• Its intra-vaginal administration causes reversible suppression
(Curcuma	of spermatogenesis and fertility.
longa)	
Chitraka	• It has Antifertility, Anti-gonadotrophic, Anti-implantation,
(Plumbago	Anti-ovulatory, Anti-spermatogenic, Anti-oestrogenic and
zeylanica)	Abortifacient activity [15].
Nagakeshara	 It has showed Anti-implantation activity in female rats [16].
(Mesua ferrea)	
Eranda beeja	• It is consumed within 72 hours of coitus thus prevents

(Ricinus	implantation.
communis)	
Pudina	• It works naturally a 1 tsp dried mint leaves along with warm
(Mentha spicata)	water after coitus works as Antifertility.
Talispatra (Abies	Benzene and Alcoholic extract of its leaf produces 51 % Anti-
webbiana)	implantation activity [17].
Shunthi	• It works as emmenagogue which stimulates or increases
(Zingiber	menstrual flow thus induce menses and prevents from
officinale)	pregnancy.

DISCUSSION -

By looking at widely increasing population a controlling management should be done. Many contraceptives presently are available in market are oral contraceptives like Mala D, Mala N, Ovral L which are very effective but may induce weight gain, nausea, headache, CA of Cx, CA of breast, certain neurologic and neuro ophthalmological syndrome, candida vaginitis, trichomonas vaginitis [18]. Thus prevent from them Ayurvedic drugs works likewise these drugs induce infertility in distinct ways. They may effect on ovary, Uterus, production of hormones and interferes with implantation. Some of them prevents fertilization by generating a protective layer around egg. These Ayurvedic contraceptives are found to be ecofriendly can be easily available and affordable even in rural areas. They are more effective but less potential than synthetic drugs.

CONCLUSION –

Population control is the need of the hour to stabilize the world population growth and to decrease economic burden for almost all the nations on this globe. Hormonal contraceptives can't be used for long duration due to their severe side effects. Also they don't give pure surety of prevention of conception. And permanent measures are surgical therapies only. Ayurveda states safe and no having any desirable side effects.

REFERENCES -

- http://Www.Indiaonlinepages.Co m/Population/India-Current-Population.Html (Cited 7/ 8/ 2016)
- Gayatri Devi, StreeRoga Vijnan, 1st Edition, Chaukamba Sankskrit Pratishtthan, Varanasi; Chapter 11. 2013. P.295
- 3. Sushrutaacharya, Sushrut samhitaa with sushrutavimarshini hindi commentary by Dr. Anant Ram Sharma , first edition, chaukhamba surbharati prakashan K. 37/117, Gopal Mandir Lane, Varanasi 221001, 2001.
- 4. http://olwomen.com/herbs-that-act-asnatural-birth-control/ (cited 6/8/2016)
- 5. Yogratnakara, Vidyodini Hindi Tikakoshatam, Uttarardha, Yonivyapada Chikitsa, Shloka 3, 7th Ed, Edited By Vaidya Shree Laxmipati Shashri, Bhishagratna Shree Bramhashankar Shashri, Chaukhamba Sanskrita Sansthan Varanasi, 2002 pp 409

- Srikantha Murthy K.R., BhavaPrakash of Bhavamisra, 3rd Edition, Yonirogadhikara 70th chapter, Chaukambha Krishna Das, Vol-2, Varanasi; 2005.P.782
- Kaviraj Shree Ambikadatta Shastri: Bhaisajya Ratnavali, Chapt. 67th, Yonivyapat chikitsa Chaukhamba Prakashan, Varanasi. 19th Edn.:2008: P 1042
- 8. Anonymous, Pharmacological investigations of certain medicinal plants & compound formulations used in Ayurveda and Siddha, (CCRAS, New Delhi), 1996, 476.
- 9. Garg SK & Garg GP, Screening of Indian plants for antifertility activity, Indian J Exp Biol, 16 (10) (1978) 1077-79.
- 10. Prakash AO, Antifertility investigations. Embelin-an oral contraceptive of plant origin (biological properties), Planta Med, 41(3) (1981) 259-66.
- 11. Kholkute SD & Udupa KN, Antifertility properties of Hibiscus rosa-sinensis, J Res Indian Med, 9 (4) (1974) 99.
- 12. Ashok Purohit, Antifertility efficacy of Neem Bark (Azadirachta indica A. Juss) in male rats, Ancient Sci Life, 19 (1/2) (1999) 21-24.

- 13. Lal B & Udupa KN, A preliminary study of Antifertility effect of an Indigenous drug Arjuna (Terminalia arjuna), JRAS, 14 (1) (1993) 165-169.
- 14. Batta SK & Santhakumari G, The antifertility effect of Ocimum sanctum and Hibiscus rosasinensis, Indian Med Res, 59 (1971) 777.
- 15. Aswal BS, Bhakuni DS, Goel AK, Kar K, Mehrotra RN & Mukherjee K, Screening of Indian Plants for biological activity, part X, Indian J Exp Biol, 22 (1984) 312-332.
- 16. Seshadri C & Pillai S R, Antifertility activity of a compound Ayurvedic preparation, J Sci Res Pl Med, 2 (1&2) (1981) 1-3.
- 17. Anonymous, Pharmacological investigations of certain medicinal plants & compound formulations used in Ayurveda and Siddha, (CCRAS, New Delhi), 1996, 474.
- 18. Indira Kumari S, Geetha A., Suja Kumari A and Pillai B.K.R, Clinical Study On The Contraceptive Effect Of Neem Oil In Health Married Women 2006 p.9

Cite this article:

THE CONCEPTUAL STUDY OF CONTRACEPTIVE METHODS ACCORDING TO AYURVEDA Divya Pawar, Sameer Gholap

Ayurline: International Journal of Research In Indian Medicine 2020; 4 (2):01-05